


### IMPORTANT SAFEGUARDS READ AND FOLLOW ALL SAFETY INSTRUCTIONS.

- Equipment should be mounted in locations and at heights where it will not be readily subjected to tampering by unauthorized personnel.
- The use of accessory equipment not recommended by the manufacturer may cause an unsafe condition.
- Any modification or use of non-original components will void the warranty and product liability.
- Do not use this equipment for other than intended use.

### SAVE THESE INSTRUCTIONS!

Technical Support ■ (623) 580-8943 ■ [technicalsupport@barronltg.com](mailto:technicalsupport@barronltg.com)




#### AG-FRAME ASSEMBLY PART LIST

ITEM	QTY	DESCRIPTION
1	2	AG FRAME Strut channel 13/16" X 1-5/8" X 48"
2	2	AG FRAME Strut channel 13/16" X 1-5/8" X 24"
3	4	AG FRAME Corner bracket, 3 holes
4	12	Nut, 1-5/8" Strut channel, 1/4-20 thread
5	8	1/4-20 X 3/4" Hex bolt
6	12	1/4" X 1" OD Flat washer, EG
7	4	Eyebolt with nut, 2" long, 1/2" ID, 1/4-20 thread

# AG-FRAME

## Installation Instructions



1. Slide channel nuts (Item #4) into the channel ends (Item #1) to the locations shown.



# AG-FRAME

## Installation Instructions


2. Slide channel nuts (Item #4) into the channel ends (Item #2) to the locations shown.



# AG-FRAME

## Installation Instructions


3. Place channels with channel nuts on a flat surface as shown.



# AG-FRAME

## Installation Instructions

4. Assemble corner brackets to channels with Hex bolts and washers as shown.  
Screw bolts into the channel nuts that are in the channels.



## 5. Assembly Complete.

